

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2012

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		918,720	130,050	14.2	98,650	10.7	157,900	17.2
Head	1	66,880	21,080	31.5	11,920	17.8	13,300	19.9
Head, unspecified	10	14,870	4,370	29.4	2,740	18.4	3,220	21.7
Cranial region, including skull	11	13,980	2,490	17.8	2,260	16.2	3,010	21.5
Cranial region, unspecified	110	380	90	23.7	60	15.8	50	13.2
Brain	111	9,940	1,410	14.2	1,550	15.6	2,000	20.1
Scalp	112	2,980	910	30.5	610	20.5	800	26.8
Skull	113	410	40	9.8	30	7.3	40	9.8
Multiple cranial region locations	118	160	-	-	-	-	90	56.2
Cranial region, n.e.c.	119	120	30	25.0	-	-	30	25.0
Ear(s)	12	1,090	170	15.6	160	14.7	140	12.8
Face	13	35,980	13,870	38.5	6,550	18.2	6,700	18.6
Face, unspecified	130	3,580	1,000	27.9	540	15.1	520	14.5
Forehead	131	2,530	910	36.0	490	19.4	510	20.2
Eye(s)	132	21,370	9,470	44.3	4,150	19.4	4,180	19.6
Nose, nasal cavity	133	2,320	810	34.9	370	15.9	350	15.1
Nose, except internal location of diseases or disorders	1330	2,310	810	35.1	370	16.0	340	14.7
Cheek(s)	134	410	100	24.4	30	7.3	100	24.4
Jaw, chin	135	1,120	170	15.2	340	30.4	190	17.0
Mouth	136	2,370	840	35.4	220	9.3	510	21.5
Mouth, unspecified	1360	200	40	20.0	30	15.0	60	30.0
Lip(s)	1361	500	220	44.0	60	12.0	60	12.0
Tongue	1362	20	-	-	-	-	-	-
Tooth (teeth)	1363	1,140	540	47.4	100	8.8	360	31.6
Multiple mouth locations	1368	460	30	6.5	30	6.5	-	-
Mouth, n.e.c.	1369	50	-	-	-	-	-	-
Multiple face locations	138	1,930	480	24.9	340	17.6	290	15.0
Face, n.e.c.	139	360	90	25.0	60	16.7	50	13.9
Multiple head locations	18	780	130	16.7	190	24.4	170	21.8
Head, n.e.c.	19	180	40	22.2	30	16.7	60	33.3
Neck, including throat	2	12,380	1,550	12.5	1,490	12.0	2,540	20.5
Neck, except internal location of diseases or disorders ..	20	12,280	1,530	12.5	1,470	12.0	2,540	20.7
Internal neck location, unspecified	21	90	-	-	-	-	-	-
Trunk	3	235,260	27,600	11.7	24,810	10.5	45,570	19.4
Trunk, unspecified	30	1,530	310	20.3	290	19.0	250	16.3
Chest, including ribs, internal organs	31	14,470	1,790	12.4	1,710	11.8	3,280	22.7
Chest, except internal location of diseases or disorders	310	13,500	1,700	12.6	1,630	12.1	3,160	23.4
Internal chest location, unspecified	311	100	20	20.0	-	-	-	-
Heart	313	420	-	-	20	4.8	40	9.5
Lung(s), pleura	315	440	60	13.6	60	13.6	60	13.6
Back, including spine, spinal cord	32	178,190	21,850	12.3	19,940	11.2	36,190	20.3
Back, including spine, spinal cord, unspecified	320	71,730	9,680	13.5	8,900	12.4	14,220	19.8
Thoracic region	321	7,830	1,070	13.7	1,150	14.7	1,770	22.6
Lumbar region	322	91,300	10,340	11.3	9,110	10.0	18,570	20.3
Sacral region	323	440	40	9.1	50	11.4	60	13.6

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2012 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	110,150	12.0	105,390	11.5	59,940	6.5	256,630	27.9	8
Head	7,110	10.6	5,260	7.9	2,010	3.0	6,200	9.3	3
Head, unspecified	1,400	9.4	1,100	7.4	600	4.0	1,430	9.6	3
Cranial region, including skull	1,720	12.3	1,540	11.0	670	4.8	2,290	16.4	4
Cranial region, unspecified	60	15.8	20	5.3	—	—	80	21.1	4
Brain	1,270	12.8	1,360	13.7	500	5.0	1,860	18.7	6
Scalp	350	11.7	100	3.4	90	3.0	110	3.7	2
Skull	20	4.9	30	7.3	60	14.6	190	46.3	27
Multiple cranial region locations	—	—	20	12.5	—	—	—	—	3
Cranial region, n.e.c.	—	—	—	—	—	—	30	25.0	4
Ear(s)	60	5.5	100	9.2	—	—	460	42.2	13
Face	3,860	10.7	2,410	6.7	690	1.9	1,890	5.3	2
Face, unspecified	830	23.2	350	9.8	90	2.5	250	7.0	4
Forehead	240	9.5	160	6.3	30	1.2	190	7.5	2
Eye(s)	1,350	6.3	1,320	6.2	230	1.1	660	3.1	2
Nose, nasal cavity	390	16.8	190	8.2	90	3.9	110	4.7	2
Nose, except internal location of diseases or disorders	390	16.9	190	8.2	90	3.9	110	4.8	2
Cheek(s)	60	14.6	50	12.2	—	—	60	14.6	4
Jaw, chin	110	9.8	30	2.7	20	1.8	250	22.3	4
Mouth	490	20.7	120	5.1	110	4.6	70	3.0	3
Mouth, unspecified	40	20.0	—	—	—	—	—	—	4
Lip(s)	30	6.0	90	18.0	—	—	20	4.0	2
Tongue	—	—	—	—	—	—	—	—	3
Tooth (teeth)	40	3.5	30	2.6	40	3.5	40	3.5	2
Multiple mouth locations	330	71.7	—	—	50	10.9	—	—	8
Mouth, n.e.c.	40	80.0	—	—	—	—	—	—	6
Multiple face locations	320	16.6	160	8.3	70	3.6	270	14.0	4
Face, n.e.c.	50	13.9	30	8.3	50	13.9	30	8.3	3
Multiple head locations	50	6.4	110	14.1	40	5.1	100	12.8	3
Head, n.e.c.	20	11.1	—	—	—	—	40	22.2	3
Neck, including throat	1,110	9.0	1,010	8.2	850	6.9	3,830	30.9	7
Neck, except internal location of diseases or disorders ...	1,110	9.0	1,000	8.1	850	6.9	3,780	30.8	7
Internal neck location, unspecified	—	—	—	—	—	—	—	—	180
Trunk	32,730	13.9	28,670	12.2	15,920	6.8	59,960	25.5	8
Trunk, unspecified	70	4.6	70	4.6	320	20.9	220	14.4	5
Chest, including ribs, internal organs	2,230	15.4	1,940	13.4	890	6.2	2,640	18.2	7
Chest, except internal location of diseases or disorders	1,980	14.7	1,880	13.9	850	6.3	2,310	17.1	6
Internal chest location, unspecified	—	—	—	—	—	—	40	40.0	11
Heart	140	33.3	40	9.5	20	4.8	150	35.7	10
Lung(s), pleura	90	20.5	20	4.5	20	4.5	130	29.5	7
Back, including spine, spinal cord	26,090	14.6	19,820	11.1	10,180	5.7	44,110	24.8	7
Back, including spine, spinal cord, unspecified	10,050	14.0	7,230	10.1	4,420	6.2	17,230	24.0	7
Thoracic region	1,150	14.7	760	9.7	410	5.2	1,520	19.4	5
Lumbar region	13,980	15.3	10,840	11.9	4,910	5.4	23,550	25.8	8
Sacral region	110	25.0	50	11.4	30	6.8	100	22.7	8

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2012 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Coccygeal region	324	1,390	180	12.9	160	11.5	520	37.4
Multiple back regions	328	5,220	490	9.4	540	10.3	1,010	19.3
Back, including spine, spinal cord, n.e.c.	329	280	40	14.3	20	7.1	40	14.3
Abdomen	33	20,510	1,390	6.8	930	4.5	2,090	10.2
Abdomen, except internal location of diseases or disorders	330	19,560	1,350	6.9	890	4.6	2,030	10.4
Internal abdominal location, unspecified	331	440	—	—	—	—	—	—
Stomach organ	332	70	20	28.6	20	28.6	—	—
Intestines, peritoneum	335	300	—	—	20	6.7	40	13.3
Intestines, peritoneum, unspecified	3350	120	—	—	—	—	—	—
Peritoneum	3351	50	—	—	—	—	—	—
Large intestine, colon, rectum	3353	40	—	—	—	—	—	—
Intestines, peritoneum, n.e.c.	3359	70	—	—	—	—	—	—
Pelvic region	34	16,060	1,730	10.8	1,560	9.7	2,830	17.6
Pelvic region, unspecified	340	120	20	16.7	20	16.7	30	25.0
Hip(s)	341	7,210	660	9.2	580	8.0	990	13.7
Pelvis	342	790	100	12.7	30	3.8	40	5.1
Buttock(s)	343	1,340	150	11.2	160	11.9	160	11.9
Groin	344	6,040	730	12.1	660	10.9	1,490	24.7
External reproductive tract structures	345	210	20	9.5	40	19.0	60	28.6
External reproductive tract structures, unspecified ..	3450	20	—	—	—	—	—	—
Scrotum	3451	160	20	12.5	30	18.8	50	31.2
Internal reproductive tract structures	346	60	—	—	—	—	—	—
Testis (testes)	3462	40	—	—	—	—	—	—
Uterus	3464	20	—	—	—	—	—	—
Multiple pelvic region locations	348	230	—	—	80	34.8	40	17.4
Pelvic region, n.e.c.	349	50	20	40.0	—	—	—	—
Multiple trunk locations	38	4,350	520	12.0	370	8.5	860	19.8
Trunk, n.e.c.	39	150	—	—	—	—	60	40.0
Upper extremities	4	289,940	40,800	14.1	28,460	9.8	47,280	16.3
Upper extremities, unspecified	40	460	80	17.4	40	8.7	50	10.9
Shoulder(s), including clavicle(s), scapula(e)	41	69,020	5,850	8.5	4,320	6.3	8,720	12.6
Arm(s)	42	42,200	4,910	11.6	3,940	9.3	7,120	16.9
Arm(s), unspecified	420	13,740	1,580	11.5	1,710	12.4	2,720	19.8
Upper arm(s)	421	5,620	430	7.7	180	3.2	550	9.8
Elbow(s)	422	13,170	1,470	11.2	1,130	8.6	1,980	15.0
Forearm(s)	423	7,060	1,130	16.0	690	9.8	1,560	22.1
Multiple arm locations	428	1,910	170	8.9	160	8.4	230	12.0
Multiple arm locations, unspecified	4280	250	50	20.0	—	—	20	8.0
Elbow(s) and arm(s)	4281	790	80	10.1	100	12.7	120	15.2
Multiple arm locations, n.e.c.	4289	870	50	5.7	50	5.7	90	10.3
Arm(s), n.e.c.	429	700	130	18.6	70	10.0	70	10.0
Wrist(s)	43	38,600	3,780	9.8	3,190	8.3	5,020	13.0
Hand(s)	44	123,560	24,570	19.9	15,540	12.6	23,800	19.3
Hand(s), unspecified	440	29,250	5,310	18.2	3,150	10.8	5,640	19.3
Hand(s), except finger(s)	441	5,940	1,250	21.0	780	13.1	1,360	22.9
Finger(s), fingernail(s)	442	81,890	16,760	20.5	11,010	13.4	15,410	18.8
Finger(s), fingernail(s), unspecified	4420	58,660	13,060	22.3	7,440	12.7	10,930	18.6
Fingernail(s), nailbed(s)	4421	1,590	190	11.9	230	14.5	300	18.9

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2012 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Coccygeal region	100	7.2	180	12.9	50	3.6	190	13.7	5
Multiple back regions	660	12.6	720	13.8	330	6.3	1,460	28.0	9
Back, including spine, spinal cord, n.e.c.	40	14.3	40	14.3	50	17.9	60	21.4	11
Abdomen	2,160	10.5	4,550	22.2	3,320	16.2	6,060	29.5	18
Abdomen, except internal location of diseases or disorders	1,990	10.2	4,280	21.9	3,220	16.5	5,800	29.7	18
Internal abdominal location, unspecified	40	9.1	120	27.3	80	18.2	170	38.6	27
Stomach organ	—	—	—	—	—	—	—	—	2
Intestines, peritoneum	120	40.0	50	16.7	—	—	60	20.0	10
Intestines, peritoneum, unspecified	30	25.0	20	16.7	—	—	50	41.7	15
Peritoneum	—	—	—	—	—	—	—	—	10
Large intestine, colon, rectum	—	—	—	—	—	—	—	—	15
Intestines, peritoneum, n.e.c.	70	100.0	—	—	—	—	—	—	7
Pelvic region	1,520	9.5	1,780	11.1	1,010	6.3	5,620	35.0	12
Pelvic region, unspecified	—	—	—	—	20	16.7	30	25.0	9
Hip(s)	590	8.2	770	10.7	480	6.7	3,140	43.6	21
Pelvis	40	5.1	140	17.7	40	5.1	390	49.4	27
Buttock(s)	90	6.7	170	12.7	—	—	600	44.8	13
Groin	700	11.6	590	9.8	440	7.3	1,420	23.5	6
External reproductive tract structures	40	19.0	30	14.3	—	—	20	9.5	5
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	—	21
Scrotum	30	18.8	30	18.8	—	—	—	—	5
Internal reproductive tract structures	20	33.3	—	—	—	—	—	—	6
Testis (testes)	—	—	—	—	—	—	—	—	14
Uterus	—	—	—	—	—	—	—	—	5
Multiple pelvic region locations	30	13.0	40	17.4	—	—	30	13.0	4
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	13
Multiple trunk locations	660	15.2	480	11.0	180	4.1	1,280	29.4	9
Trunk, n.e.c.	—	—	30	20.0	—	—	20	13.3	5
Upper extremities	33,370	11.5	34,680	12.0	19,460	6.7	85,890	29.6	10
Upper extremities, unspecified	50	10.9	20	4.3	20	4.3	190	41.3	13
Shoulder(s), including clavicle(s), scapula(e)	7,090	10.3	7,310	10.6	5,210	7.5	30,530	44.2	23
Arm(s)	4,370	10.4	4,880	11.6	3,460	8.2	13,520	32.0	12
Arm(s), unspecified	1,100	8.0	1,400	10.2	1,200	8.7	4,020	29.3	10
Upper arm(s)	810	14.4	700	12.5	300	5.3	2,640	47.0	26
Elbow(s)	1,450	11.0	1,710	13.0	1,000	7.6	4,420	33.6	12
Forearm(s)	730	10.3	740	10.5	710	10.1	1,510	21.4	7
Multiple arm locations	250	13.1	300	15.7	200	10.5	600	31.4	14
Multiple arm locations, unspecified	30	12.0	20	8.0	—	—	120	48.0	30
Elbow(s) and arm(s)	60	7.6	170	21.5	30	3.8	230	29.1	14
Multiple arm locations, n.e.c.	160	18.4	110	12.6	170	19.5	250	28.7	17
Arm(s), n.e.c.	40	5.7	30	4.3	30	4.3	330	47.1	22
Wrist(s)	3,980	10.3	6,210	16.1	3,060	7.9	13,350	34.6	16
Hand(s)	16,130	13.1	14,220	11.5	6,840	5.5	22,460	18.2	5
Hand(s), unspecified	4,100	14.0	3,550	12.1	1,680	5.7	5,820	19.9	6
Hand(s), except finger(s)	960	16.2	470	7.9	260	4.4	860	14.5	4
Finger(s), fingernail(s)	10,450	12.8	9,550	11.7	4,190	5.1	14,520	17.7	5
Finger(s), fingernail(s), unspecified	7,270	12.4	6,660	11.4	2,970	5.1	10,310	17.6	5
Fingernail(s), nailbed(s)	300	18.9	320	20.1	70	4.4	180	11.3	7

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2012 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Fingertip(s)	4422	7,390	1,360	18.4	1,050	14.2	1,110	15.0
Finger(s), fingernail(s), n.e.c.	4429	14,240	2,150	15.1	2,290	16.1	3,060	21.5
Hand(s) and finger(s)	448	3,660	530	14.5	340	9.3	500	13.7
Hand(s), n.e.c.	449	2,810	710	25.3	270	9.6	900	32.0
Multiple upper extremities locations	48	15,970	1,590	10.0	1,420	8.9	2,550	16.0
Multiple upper extremities locations, unspecified	480	600	40	6.7	60	10.0	130	21.7
Hand(s) and arms(s)	481	1,640	140	8.5	110	6.7	250	15.2
Hand(s) and arm(s), unspecified	4810	700	50	7.1	50	7.1	110	15.7
Hand(s) and elbow(s)	4811	110	—	—	—	—	30	27.3
Hand(s) and arm(s), n.e.c.	4819	840	90	10.7	50	6.0	110	13.1
Hand(s) and wrist(s)	482	3,130	430	13.7	260	8.3	740	23.6
Wrist(s) and arm(s)	483	2,070	230	11.1	360	17.4	220	10.6
Wrist(s) and arm(s), unspecified	4830	1,030	60	5.8	210	20.4	50	4.9
Wrist(s) and elbow(s)	4831	460	130	28.3	50	10.9	80	17.4
Wrist(s) and arm(s), n.e.c.	4839	580	40	6.9	100	17.2	80	13.8
Shoulder(s) and arm(s)	484	5,180	430	8.3	360	6.9	820	15.8
Multiple upper extremities locations, n.e.c.	489	3,360	320	9.5	270	8.0	410	12.2
Upper extremities, n.e.c.	49	130	20	15.4	—	—	—	—
Lower extremities	5	204,220	22,730	11.1	19,750	9.7	31,290	15.3
Lower extremities, unspecified	50	470	20	4.3	20	4.3	110	23.4
Leg(s)	51	107,900	10,890	10.1	9,300	8.6	14,300	13.3
Leg(s), unspecified	510	12,070	1,650	13.7	970	8.0	2,000	16.6
Thigh(s)	511	4,930	960	19.5	510	10.3	560	11.4
Knee(s)	512	78,360	6,420	8.2	6,520	8.3	9,900	12.6
Lower leg(s)	513	8,760	1,140	13.0	1,030	11.8	1,240	14.2
Multiple leg locations	518	2,940	440	15.0	210	7.1	480	16.3
Multiple leg locations, unspecified	5180	430	190	44.2	30	7.0	60	14.0
Knee(s) and leg(s)	5181	1,830	170	9.3	160	8.7	250	13.7
Multiple leg locations, n.e.c.	5189	670	80	11.9	30	4.5	170	25.4
Leg(s), n.e.c.	519	840	270	32.1	60	7.1	120	14.3
Ankle(s)	52	44,860	5,850	13.0	4,890	10.9	8,300	18.5
Foot (feet)	53	42,920	5,150	12.0	4,930	11.5	7,510	17.5
Foot (feet), unspecified	530	27,950	3,350	12.0	3,430	12.3	4,620	16.5
Sole(s)	531	2,420	240	9.9	130	5.4	250	10.3
Sole(s), unspecified	5310	260	70	26.9	60	23.1	30	11.5
Ball(s) of the foot	5311	20	—	—	—	—	—	—
Arch(es), instep(s)	5312	130	—	—	20	15.4	40	30.8
Heel(s)	5313	1,950	150	7.7	50	2.6	180	9.2
Sole(s), n.e.c.	5319	60	—	—	—	—	—	—
Toes(s), toenail(s)	532	9,870	1,340	13.6	950	9.6	1,770	17.9
Multiple foot (feet) locations	538	550	50	9.1	60	10.9	160	29.1
Foot (feet), n.e.c.	539	2,120	170	8.0	350	16.5	700	33.0
Multiple lower extremities locations	58	8,050	820	10.2	610	7.6	1,070	13.3
Multiple lower extremities locations, unspecified	580	270	—	—	20	7.4	40	14.8
Foot (feet) and leg(s)	581	1,240	100	8.1	60	4.8	110	8.9
Foot(feet) and leg(s), unspecified	5810	220	20	9.1	20	9.1	30	13.6
Foot(feet) and knee(s)	5811	670	70	10.4	30	4.5	40	6.0
Foot(feet) and leg(s), n.e.c.	5819	350	—	—	—	—	40	11.4
Foot (feet) and ankle(s)	582	2,690	290	10.8	210	7.8	410	15.2

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2012 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Fingertip(s)	920	12.4	1,000	13.5	400	5.4	1,560	21.1	6
Finger(s), fingernail(s), n.e.c.	1,960	13.8	1,570	11.0	740	5.2	2,480	17.4	5
Hand(s) and finger(s)	360	9.8	500	13.7	500	13.7	930	25.4	13
Hand(s), n.e.c.	260	9.3	150	5.3	200	7.1	320	11.4	3
Multiple upper extremities locations	1,710	10.7	2,010	12.6	880	5.5	5,810	36.4	14
Multiple upper extremities locations, unspecified	50	8.3	40	6.7	50	8.3	240	40.0	15
Hand(s) and arms(s)	130	7.9	540	32.9	50	3.0	410	25.0	15
Hand(s) and arm(s), unspecified	60	8.6	180	25.7	40	5.7	210	30.0	15
Hand(s) and elbow(s)	—	—	—	—	—	—	40	36.4	11
Hand(s) and arm(s), n.e.c.	60	7.1	350	41.7	—	—	160	19.0	16
Hand(s) and wrist(s)	370	11.8	430	13.7	180	5.8	730	23.3	7
Wrist(s) and arm(s)	130	6.3	160	7.7	140	6.8	830	40.1	17
Wrist(s) and arm(s), unspecified	60	5.8	60	5.8	40	3.9	540	52.4	44
Wrist(s) and elbow(s)	20	4.3	30	6.5	20	4.3	140	30.4	5
Wrist(s) and arm(s), n.e.c.	50	8.6	70	12.1	80	13.8	150	25.9	13
Shoulder(s) and arm(s)	600	11.6	440	8.5	190	3.7	2,340	45.2	18
Multiple upper extremities locations, n.e.c.	430	12.8	410	12.2	270	8.0	1,250	37.2	14
Upper extremities, n.e.c.	30	23.1	20	15.4	—	—	30	23.1	6
Lower extremities	23,470	11.5	24,400	11.9	15,730	7.7	66,850	32.7	12
Lower extremities, unspecified	—	—	40	8.5	—	—	260	55.3	36
Leg(s)	12,380	11.5	14,070	13.0	8,820	8.2	38,150	35.4	15
Leg(s), unspecified	1,300	10.8	930	7.7	760	6.3	4,440	36.8	11
Thigh(s)	720	14.6	560	11.4	790	16.0	840	17.0	7
Knee(s)	8,860	11.3	11,160	14.2	6,350	8.1	29,140	37.2	16
Lower leg(s)	1,130	12.9	1,080	12.3	600	6.8	2,560	29.2	10
Multiple leg locations	280	9.5	250	8.5	280	9.5	990	33.7	12
Multiple leg locations, unspecified	30	7.0	30	7.0	20	4.7	80	18.6	2
Knee(s) and leg(s)	180	9.8	200	10.9	180	9.8	700	38.3	19
Multiple leg locations, n.e.c.	80	11.9	30	4.5	80	11.9	220	32.8	8
Leg(s), n.e.c.	80	9.5	90	10.7	40	4.8	180	21.4	4
Ankle(s)	5,520	12.3	4,710	10.5	3,020	6.7	12,580	28.0	8
Foot (feet)	4,630	10.8	4,670	10.9	3,550	8.3	12,490	29.1	10
Foot (feet), unspecified	3,020	10.8	3,080	11.0	1,970	7.0	8,480	30.3	10
Sole(s)	300	12.4	290	12.0	410	16.9	790	32.6	20
Sole(s), unspecified	—	—	20	7.7	—	—	60	23.1	2
Ball(s) of the foot	—	—	—	—	—	—	—	—	3
Arch(es), instep(s)	20	15.4	—	—	—	—	20	15.4	5
Heel(s)	230	11.8	260	13.3	390	20.0	700	35.9	30
Sole(s), n.e.c.	50	83.3	—	—	—	—	—	—	10
Toes(s), toenail(s)	1,130	11.4	1,030	10.4	990	10.0	2,660	27.0	9
Multiple foot (feet) locations	30	5.5	100	18.2	70	12.7	90	16.4	7
Foot (feet), n.e.c.	150	7.1	180	8.5	110	5.2	460	21.7	4
Multiple lower extremities locations	940	11.7	910	11.3	330	4.1	3,370	41.9	15
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	170	63.0	50
Foot (feet) and leg(s)	90	7.3	80	6.5	50	4.0	750	60.5	58
Foot(feet) and leg(s), unspecified	20	9.1	50	22.7	—	—	70	31.8	15
Foot(feet) and knee(s)	20	3.0	30	4.5	—	—	460	68.7	143
Foot(feet) and leg(s), n.e.c.	40	11.4	—	—	30	8.6	210	60.0	58
Foot (feet) and ankle(s)	420	15.6	280	10.4	100	3.7	960	35.7	11

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2012 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Ankle(s) and leg(s)	583	2,620	280	10.7	210	8.0	370	14.1
Ankle(s) and leg(s), unspecified	5830	320	30	9.4	20	6.2	100	31.2
Ankle(s) and knee(s)	5831	1,840	220	12.0	170	9.2	200	10.9
Ankle(s) and leg(s), n.e.c.	5839	450	30	6.7	20	4.4	70	15.6
Multiple lower extremities locations, n.e.c.	589	1,240	140	11.3	120	9.7	140	11.3
Lower extremities, n.e.c.	59	20	—	—	—	—	—	—
Body systems	6	17,770	4,580	25.8	2,940	16.5	2,910	16.4
Multiple body parts	8	83,900	9,960	11.9	8,560	10.2	13,780	16.4
Multiple body parts, unspecified	80	7,410	970	13.1	590	8.0	1,210	16.3
Head and neck	81	2,360	380	16.1	320	13.6	430	18.2
Head, neck, and trunk	82	740	80	10.8	20	2.7	40	5.4
Head and trunk	83	980	70	7.1	110	11.2	160	16.3
Neck and back	84	6,930	870	12.6	1,210	17.5	1,180	17.0
Shoulder(s) and back	85	3,890	490	12.6	370	9.5	610	15.7
Hip(s) and leg(s)	86	1,440	240	16.7	110	7.6	180	12.5
Upper and lower limb(s)	87	6,430	1,280	19.9	710	11.0	1,120	17.4
Other multiple body parts	89	53,720	5,570	10.4	5,120	9.5	8,850	16.5
Whole body	891	810	150	18.5	90	11.1	180	22.2
Multiple body parts, n.e.c.	899	52,910	5,430	10.3	5,030	9.5	8,670	16.4
Nonclassifiable	9999	8,360	1,750	20.9	700	8.4	1,220	14.6

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2012 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Ankle(s) and leg(s)	340	13.0	420	16.0	100	3.8	900	34.4	12
Ankle(s) and leg(s), unspecified	20	6.2	20	6.2	20	6.2	110	34.4	6
Ankle(s) and knee(s)	280	15.2	300	16.3	70	3.8	600	32.6	11
Ankle(s) and leg(s), n.e.c.	40	8.9	100	22.2	—	—	190	42.2	16
Multiple lower extremities locations, n.e.c.	80	6.5	110	8.9	60	4.8	590	47.6	25
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	5
Body systems	1,910	10.7	1,670	9.4	530	3.0	3,220	18.1	3
Multiple body parts	9,670	11.5	8,670	10.3	4,690	5.6	28,550	34.0	10
Multiple body parts, unspecified	990	13.4	650	8.8	380	5.1	2,610	35.2	10
Head and neck	240	10.2	250	10.6	60	2.5	690	29.2	6
Head, neck, and trunk	30	4.1	70	9.5	—	—	490	66.2	104
Head and trunk	120	12.2	90	9.2	260	26.5	170	17.3	12
Neck and back	700	10.1	750	10.8	350	5.1	1,850	26.7	7
Shoulder(s) and back	300	7.7	530	13.6	190	4.9	1,390	35.7	13
Hip(s) and leg(s)	200	13.9	180	12.5	50	3.5	480	33.3	10
Upper and lower limb(s)	600	9.3	530	8.2	390	6.1	1,790	27.8	6
Other multiple body parts	6,500	12.1	5,610	10.4	3,000	5.6	19,070	35.5	12
Whole body	30	3.7	40	4.9	—	—	320	39.5	5
Multiple body parts, n.e.c.	6,460	12.2	5,570	10.5	3,000	5.7	18,750	35.4	12
Nonclassifiable	770	9.2	1,040	12.4	750	9.0	2,130	25.5	8

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.